GP/3671

EXPRÉSS MAIL NO.: EL539792803US

HOWREY SIMON ARNOLD & WHITE, LLP

301 Ravenswood Avenue Box No. 34 Menlo Park, CA 94025 (650) 463-8100

FORM PTO-1083

Attorney Docket No. 11533.0012.CPUS04

In re application of Douglas ALLARD and Andrew WILSON Appl. No. 09/912,281

Filed:

July 23, 2001

For:

HARD BODIED HIGH CAPACITY CATCH BASIN FILTRATION SYSTEM

THE COMMISSIONER FOR PATENTS Washington, D.C. 20231

Sir:

Transmitted herewith are the following documents:

- 1. Form PTO 1083;
- 2. Response to Office Action Dated August 22, 2002;
- 3. 1 Sheet of Replacement Drawings; and
- 3. Return receipt postcard

xx No additional claim fee is required.

<u>xx</u> The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency or credit any overpayment to Deposit Account No. <u>08-3038</u> referencing docket number <u>11533.0012.CPUS04</u>.

Date: November 22, 2002

Justin A. White (Reg. No. 48,883)



#10/ Flear
PATENT
11/29/04

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Douglas ALLARD and Andrew WILSON

Serial No.: 09/912,281

Filed: July 23, 2001

For: HARD BODIED HIGH CAPACITY CATCH

BASIN FILTRATION SYSTEM

Group Art Unit: 3671

Examiner: A. Pechhold

Atty. Dkt. No.: 11533.0012.CPUS04

RESPONSE TO OFFICE ACTION DATED AUGUST 22, 2002

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

This is in response to the Office Action dated August 22, 2002 having a shortened statutory period for response that expires on November 22, 2002. Applicants respectfully acknowledge and thank the Examiner for the Notice of Allowable Subject Matter contained therein. One replacement drawing sheet is submitted herewith in response to the formal objection to the drawings contained in this Office Action. Appropriate remarks have been made herein in response to the remainder of the rejections in this Office Action, and the Examiner is respectfully requested to reconsider the claims in view of these remarks.